


THE MANUAL




Congratulations on your new TRIP Wall lamp. We hope you will enjoy using this product. Please follow these instructions to ensure correct operation.



Please read these instructions carefully and keep them for reference. For your own safety, please study each step of this instruction manual before first use of the product. Design By Us is not responsible for any faults or damages caused by not following these instructions correctly.



220 - 240V AC | 50/60Hz LED 5W



IMPORTANT

Always shut off power to the circuit before starting installation work. In some countries electrical installation work may only be carried out by an authorised electrical contractor. Contact your local electricity authority for advice.

- Make sure to check that the hardware included is suitable for the mounting surface. You may use the drilling guide from the box, or simply use the lamp. No matter what, make sure to measure twice to ensure a satisfied placement of the lamp.
- Make sure that the electricity is off before you connect the lamp, for your own safety. You can either connect the lamp to an outlet, or a cord with a switch.
 - A fabric cord with a switch can be purchased separately.
- Place the lamp on the wall and check that the drilled holes align with the holes in the lamp, and that the lamp is in the desired position.
- Place a screw in each hole and then carefully tighten each screw with the included tool to protect the lamp from damages. Make sure it is tight, but do not use excessive force. To ensure correct fitment of the screw covers, make sure the screws are installed straight and they should popright on.
- 5 Carefully place the shade on top of the lamp.
 Each shade is handmade, so you might need to rotate it to make it sit correctly with equal gap around the edge to the base.
- To secure the glass to the base, screw the top cap into place until it feels tight and secure. Be careful not to overtighten the screw, as that may damage the lamp.

#WE ARE DESIGNERS

